

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 1 | 10/788479.app. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/26 15:34 |
| S2 | 0 | LAPB same DTE same DCE same configur\$5 same automat\$3 same (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/26 15:36 |
| S3 | 0 | LAPB same DTE same DCE same configur\$5 same (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/26 15:37 |
| S4 | 3 | (LAPB same DTE same DCE) configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/26 15:37 |
| S5 | 4 | (LAPB same (DTE or DCE)) configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/26 15:38 |
| S6 | 3 | LAPB DTE DCE configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/26 15:39 |
| S7 | 3 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) configur\$5 (ABM or "asynchronous balanced mode") (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/26 15:46 |
| S8 | 39 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) configur\$5 (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/27 07:58 |
| S9 | 17 | ("5708778").URPN. | USPAT | AND | ON | 2007/09/26 16:47 |

| | | | | | | |
|-----|----|--|---|-----|----|---------------------|
| S10 | 13 | ("6005846"). URPN. | USPAT | AND | ON | 2007/09/26 16:57 |
| S11 | 1 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/255. ccls. (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/27 07:59 |
| S12 | 0 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/357. ccls. (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/27 07:59 |
| S13 | 3 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/392. ccls. (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/27 08:00 |
| S14 | 0 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) 370/464. ccls. (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/27 08:00 |
| S15 | 10 | (US-20040052257-\$).did. or (US-4975910-\$ or US-4783778-\$ or US-5917823-\$ or US-5708778-\$ or US-5048087-\$ or US-5027343-\$ or US-4949338-\$ or US-4799153-\$ or US-6005846-\$). did. | US-PGPUB; USPAT | AND | ON | 2007/09/27 08:01 |
| S16 | 3 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) (automatic \$4 near3 configur\$5) (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/11 16:59 |
| S17 | 0 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) (configur\$5 near3 local near3 device) same (discover\$3 near3 remote near3 device) (@ad<"20040301" or @rlad<"20040301") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/11 17:03 |

| | | | | | | |
|-----|---|--|---|-----|----|---------------------|
| S18 | 0 | LAPB (DTE or "data terminal equipment") (DCE or (data adj3 (circuit or comput\$3) adj equipment)) (configur\$5 near3 local near3 (device or node)) same (discover\$3 near3 remote near3 (device or node)) (@ad<"20040301" or @rlad<"20040301")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/11 17:03 |
| S19 | 2 | LAPB same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment)) same configur\$5 (@ad<"20040301" or @rlad<"20040301")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/11 17:11 |
| S20 | 0 | (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5) same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:33 |
| S21 | 1 | (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5) (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:34 |
| S22 | 7 | "1571783".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:36 |
| S23 | 9 | (@ad<"20040301" or @rlad<"20040301") (LAPB with (master or slave)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:39 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S24 | 0 | (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal)) same (automatic\$4 adj configur\$5) same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:45 |
| S25 | 0 | (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal)) (automatic\$4 adj configur\$5) same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput \$3 or communication) adj equipment) or NT or "network terminal")) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:45 |
| S26 | 1 | 09/647365.app. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:52 |
| S27 | 2 | 10/647365.app. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:53 |
| S28 | 10 | ("5410535" or "5497460" or "5502818" or "5504866" or "5596723").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:56 |
| S29 | 0 | S28 (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:57 |
| S30 | 0 | S28 (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:58 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S31 | 278 | (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:58 |
| S32 | 2 | (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5 same LAPB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:58 |
| S33 | 0 | (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same (mutual with configur\$5) same LAPB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:59 |
| S34 | 0 | (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same (automatic\$3 with configur\$5) same LAPB | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 06:59 |
| S35 | 23 | ("5165018" "5410535" "5497460" "5502818" "5504866" "5596723").PN. OR ("5708778").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/03/12 07:00 |
| S36 | 0 | S35 (@ad<"20040301" or @rlad<"20040301") (LAPB with (device or terminal) with configur\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:01 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S37 | 130 | (S35 @ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:09 |
| S38 | 2 | S35 (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same configur\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:10 |
| S39 | 1 | (@ad<"20040301" or @rlad<"20040301") (LAPB with (automatic\$4 or adapt \$4) with configur\$5) (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:16 |
| S40 | 0 | (@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with (device or terminal) with configur\$5) same ("no" with (master or slave)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:23 |
| S41 | 0 | (@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same ("no" with (master or slave)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:23 |
| S42 | 124 | (@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same (balanced) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:24 |
| S43 | 8 | (@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same configur\$5 same (balanced) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:24 |

| | | | | | | |
|-----|----|--|---|-----|----|---------------------|
| S44 | 3 | (@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with configur\$5) (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:26 |
| S45 | 1 | (@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with protocol) same "x.25" same (poll or final) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:34 |
| S46 | 4 | (@ad<"20040301" or @rlad<"20040301") ((LAPB or "link access procedure balanced") with protocol) same (poll or final) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 07:35 |
| S47 | 0 | (@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same configur\$5 same symmetric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 08:00 |
| S48 | 5 | (@ad<"20040301" or @rlad<"20040301") (LAPB or "link access procedure balanced") same symmetric | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 08:00 |
| S49 | 17 | (@ad<"20040301" or @rlad<"20040301") (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") same (automatic\$4 with configur\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 08:03 |
| S50 | 0 | (@ad<"20040301" or @rlad<"20040301") LAPB with initiat\$3 with (ASM or "asynchronous balanced mode") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 11:28 |

| | | | | | | |
|-----|---|---|---|-----|----|---------------------|
| S51 | 2 | (@ad<"20040301" or @rlad<"20040301") LAPB with (initiat\$3 or command \$3 or request\$3) with (ASM or "asynchronous balanced mode") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 11:29 |
| S52 | 2 | 370/254.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment" or DT or "data terminal") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment) or NT or "network terminal") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 12:05 |
| S53 | 2 | 370/255.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 12:06 |
| S54 | 0 | 370/257.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 12:07 |
| S55 | 2 | 370/392.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 12:08 |
| S56 | 0 | 370/464.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 12:09 |

| | | | | | | |
|-----|---|---|---|-----|----|---------------------|
| S57 | 0 | 709/713.ccls. (@ad<"20040301" or @rlad<"20040301") configur \$5 same (DTE or "data terminal equipment") same (DCE or (data adj3 (circuit or comput\$3 or communication) adj equipment)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/12 12:09 |
|-----|---|---|---|-----|----|---------------------|

3/ 13/ 2008 4:22:50 PM

C:\ Documents and Settings\ yzhou\ My Documents\ EAST\ Workspaces\ 10788479.w sp